

Haemostasis - Apixaban

Peetz / Spannagl / Dick

504

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Apixaban

	May (3)	Oct. (6)
Registration deadline:	27.02.26	07.08.26
Sample shipment:	28.04.26	06.10.26
Closing Date:	15.05.26	23.10.26

Haemostasis - Argatroban

Peetz / Spannagl / Dick

230

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Argatroban

Thrombin Time

aPTT

	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Haemostasis - AT, Protein C, Protein S, C1-Inhibitor

Spannagl / Dick

225

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Inhibitors (AT, PC, PS)

Antithrombin
Free Protein S funct. (act.)C1-Inhibitor
Protein S totalFree Protein S immun. (conc.)
Total Protein C

	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 6 months / 12 months

participation according to Rili-BÄK:
 quarterly

Antithrombin	D-Dimer (quantitative)	Fibrinogen
Prothrombintime (PT, INR) aPTT	Prothrombintime (PT, Quick)	Thrombin Time

	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Haemostasis - D-Dimer

Spannagl / Peetz / Dick

226

Samples : 2 samples of 0.5 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months



D-Dimer (qualitative)	D-Dimer (quantitative)
-----------------------	------------------------

For POCT systems: Please ensure that the sample matrix used in the EQA scheme is suitable for your test system. In case of uncertainty, we recommend contacting the manufacturer or supplier of your device.

	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Haemostasis - Dabigatran

Peetz / Spannagl / Dick

502

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Dabigatran

	May (3)	Oct. (6)
Registration deadline:	27.02.26	07.08.26
Sample shipment:	28.04.26	06.10.26
Closing Date:	15.05.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Edoxaban

	May (3)	Oct. (6)
Registration deadline:	27.02.26	07.08.26
Sample shipment:	28.04.26	06.10.26
Closing Date:	15.05.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Emicizumab

	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Single factors A (via PT): factor II, factor V, factor VII, factor X

	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Single factors B (via APTT, etc.): factor IX, factor XI, factor XII, factor XIII

	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Factor VIII akt. Willebrand fact. Ag Willebrand fact. CBA
 Willebrand fact. RiCof Willebrand fact. activity

	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Global test II: TZ, FIB, FSP screening FSP screening, using batroxobin time or heparin-independent thrombin time

	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Fondaparinux

	May (3)	Oct. (6)
Registration deadline:	27.02.26	07.08.26
Sample shipment:	28.04.26	06.10.26
Closing Date:	15.05.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Functional APC resistance

APC resistance Diagnostic comments

	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

LMW Heparin

	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Orgaran

	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Haemostasis - POCT

Samples : 2 samples of 1 ml; Starting reagent of 1 ml
 Sample properties: Whole blood (Citrat), not stabilized
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months / 6 months

participation according to Rili-BÄK:
quarterly



Due to different detection techniques that are applied, not every sample material can be guaranteed to be suitable for every POCT machine. The machines microINR by Axon Lab as well as Xprecia Stride by Siemens are not suitable for this EQAS!

ACT
 Prothrombintime (PT, Quick) Prothrombintime (PT, INR)
 aPTT

For POCT systems: Please ensure that the sample matrix used in the EQA scheme is suitable for your test system. In case of uncertainty, we recommend contacting the manufacturer or supplier of your device. Please note the short completion time!

	Jan. (1)	May (3)	Sep. (5)	Oct. (6)
Registration deadline:	14.11.25	10.04.26	03.07.26	14.08.26
Sample shipment:	13.01.26	09.06.26	01.09.26	13.10.26
Closing Date:	15.01.26	11.06.26	03.09.26	15.10.26

Haemostasis - PT, INR, aPTT

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 6 months

participation according to Rili-BÄK:
quarterly

Global test I: Prothrombintime (PTZ, Quick), Prothrombintime (PTZ, INR), aPTT

No. 221 is only for measuring in plasma samples. For measurements of whole blood in POCT systems, please register for No. 286!

	Jan. (1)	Mar. (2)	May (3)	July (4)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	26.12.25	27.02.26	24.04.26	12.06.26	07.08.26
Sample shipment:	13.01.26	24.02.26	28.04.26	23.06.26	11.08.26	06.10.26
Closing Date:	30.01.26	13.03.26	15.05.26	10.07.26	28.08.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Rivaroxaban

	May (3)	Oct. (6)
Registration deadline:	27.02.26	07.08.26
Sample shipment:	28.04.26	06.10.26
Closing Date:	15.05.26	23.10.26

Samples : 2 x 3 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Extrinsic: A20 [mm] Intrinsic: A20 [mm]	Extrinsic: CT[s] r[min] Intrinsic: CT[s] r[min]	Extrinsic: MCF [mm] Intrinsic: MCF [mm]		
	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Extrinsic: A20 [mm] Intrinsic: A20 [mm]	Extrinsic: CT[s] r[min] Intrinsic: CT[s] r[min]	Extrinsic: MCF [mm] Intrinsic: MCF [mm]		
	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

Thrombin Time	UF Heparin	aPTT		
	Jan. (1)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	12.06.26	07.08.26
Sample shipment:	13.01.26	28.04.26	11.08.26	06.10.26
Closing Date:	30.01.26	15.05.26	28.08.26	23.10.26