

Samples : 2 samples of 1 mL
Sample properties: Lyophilised serum
Shipping Information: Shipping at ambient temperature
Certificate Validity: 12 months

17-Hydroxyprogesterone Androstendion

	Mar. (2)	May (3)	Aug. (5)	Oct. (6)
Registration deadline:	26.12.25	27.02.26	12.06.26	07.08.26
Sample shipment:	24.02.26	28.04.26	11.08.26	06.10.26
Closing Date:	13.03.26	15.05.26	28.08.26	23.10.26

Myocardial Markers

Baum / Peetz

760

Samples : 2 samples of 2 ml
 Sample properties: Lyophilized serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months / 6 months

participation according to Rili-BÄK:
 quarterly



CK-MB (activity)	CK-MB (mass)	CK-MB (qualitative)
Myoglobin	Myoglobin (qualitative)	NT-pro BNP
Troponin I	Troponin I (qualitative)	Troponin T
Troponin T (qualitative)		

For POCT systems: Please ensure that the sample matrix used in the EQA scheme is suitable for your test system. In case of uncertainty, we recommend contacting the manufacturer or supplier of your device. Please note that this EQA scheme is not suitable for methods that require whole blood.

	Jan. (1)	Mar. (2)	May (3)	July (4)	Aug. (5)	Oct. (6)
Registration deadline:	14.11.25	26.12.25	27.02.26	24.04.26	12.06.26	07.08.26
Sample shipment:	13.01.26	24.02.26	28.04.26	23.06.26	11.08.26	06.10.26
Closing Date:	30.01.26	13.03.26	15.05.26	10.07.26	28.08.26	23.10.26

Samples : 2 samples of 1 mL
 Sample properties: Serum / Plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months



BNP

For POCT systems: Please ensure that the sample matrix used in the EQA scheme is suitable for your test system. In case of uncertainty, we recommend contacting the manufacturer or supplier of your device.

	Jan. (1)	May (3)	July (4)	Oct. (6)
Registration deadline:	14.11.25	27.02.26	24.04.26	07.08.26
Sample shipment:	13.01.26	28.04.26	23.06.26	06.10.26
Closing Date:	30.01.26	15.05.26	10.07.26	23.10.26

Conventional clinical chemistry

ACE (Angiotensin-Converting-Enzyme)

Durner / N.N.

630

Samples : 2 samples of 0.5 ml
 Sample properties: Liquid serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

ACE

	Mar. (2)	May (3)	July (4)	Oct. (6)
Registration deadline:	26.12.25	27.02.26	24.04.26	07.08.26
Sample shipment:	24.02.26	28.04.26	23.06.26	06.10.26
Closing Date:	13.03.26	15.05.26	10.07.26	23.10.26

Amino Acid Analysis

Steiner / Schadewaldt

710

Samples : 2 samples of 1 ml
 Sample properties: Lyophilised plasma
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

4-Hydroxyproline (free)	Alanine	Arginine
Argininosuccinic acid	Asparagine	Aspartic acid
Citrulline	Cystathionine	Cysteine-Homocysteine-disulfide
Cystine	Glutamic acid	Glutamine
Glycine	Histidine	Isoleucine
Leucine	Lysine	Methionine
Ornithine	Phenylalanine	Phosphoethanolamine
Proline	Sarcosine	Serine
Taurine	Threonine	Tryptophan
Tyrosine	Valine	allo-Isoleucine
alpha-Aminoadipic acid	b-Alanine	proposed diagnosis

	May (3)	Oct. (6)
Registration deadline:	27.02.26	07.08.26
Sample shipment:	28.04.26	06.10.26
Closing Date:	15.05.26	23.10.26