

VEQ 360°



Una risorsa indispensabile per confermare e migliorare la qualità di tutto il tuo laboratorio.

Catalogo 2027



INSTAND

Marcatori tumorali



Tumor Marker

Tumor Markers

292

EQAS/PT Properties Samples: 2 samples of 2 ml Sample Properties: Liquid Serum Additional Information: For POCT systems: Please ensure that the sample matrix used in the EQA scheme is suitable for your test system. In case of uncertainty, we recommend contacting the manufacturer or supplier of your device.			 EQAS/PT Experts: Prof. Dr. med. Stefan Holdenrieder Deputy EQAS/PT Experts: N.N		
Requirement for EQAS/PT according to Rili-BÄK: quarterly Validity Certificate: 6 months Parameter / Analytes: AFP CA 15-3 CEA			Not subject to Rili-BÄK Validity Certificate: 12 months Parameter / Analytes: CA 125 CA 19-9 CA 72-4 CYFRA 21-1 HE4 HER2/new NSE PSA, free ROMA-Score S100 SCC TPA TPS Thyreoglobulin beta-2-Microglobulin		
Shipping Information: Shipping not cooled			Safety Information: Process as patient sample material		
Dates	Q1		Q2	Q3	
	Jan.	Mar.	May	July	Aug.
Registration Deadline:	26-11-13	26-12-18	27-02-26	27-04-23	27-06-11
Sample Shipment:	27-01-12	27-02-23	27-04-27	27-06-22	27-08-10
Closing Date:	27-01-29	27-03-12	27-05-14	27-07-09	27-08-27
					27-10-22

Tumor Markers - Calcitonin, Pro-GRP, PIVKAI, AFP, AFP-L3

299

EQAS/PT Properties Samples: 2 samples of 1 ml Sample Properties: Liquid Serum			EQAS/PT Experts: Prof. Dr. med. Stefan Holdenrieder Deputy EQAS/PT Experts: N.N		
Requirement for EQAS/PT according to Rili-BÄK: not applicable			Not subject to Rili-BÄK Validity Certificate: 12 months Parameter / Analytes: AFP AFP-L3 Calcitonin GAAD-Score GALAD-Score PIVKAI Progastrin-releasing Peptide		
Shipping Information: Shipping not cooled			Safety Information: Process as patient sample material		
Dates	Q1		Q2	Q3	
	Jan.	Mar.	May	July	Aug.
Registration Deadline:	26-11-13	26-12-18	27-02-26	27-04-23	27-06-11
Sample Shipment:	27-01-12	27-02-23	27-04-27	27-06-22	27-08-10
Closing Date:	27-01-29	27-03-12	27-05-14	27-07-09	27-08-27
					27-10-22



Tumor Markers - PSA and Testosterone

293

EQAS/PT Properties Samples: 2 samples of 2 mL Sample Properties: Liquid Serum Additional Information: For POCT systems: Please ensure that the sample matrix used in the EQA scheme is suitable for your test system. In case of uncertainty, we recommend contacting the manufacturer or supplier of your device.			 EQAS/PT Experts: Prof. Dr. med. Stefan Holdenrieder Deputy EQAS/PT Experts: N.N			
Requirement for EQAS/PT according to Rili-BÄK: quarterly Validity Certificate: 6 months Parameter / Analytes: PSA, totalTestosterone			Not subject to Rili-BÄK Validity Certificate: 12 months Parameter / Analytes: PSA, free			
Shipping Information: Shipping not cooled			Safety Information: Process as patient sample material			
Dates	Q1		Q2	Q3		Q4
	Jan.	Mar.	May	July	Aug.	Oct.
Registration Deadline:	26-11-13	26-12-18	27-02-26	27-04-23	27-06-11	27-08-06
Sample Shipment:	27-01-12	27-02-23	27-04-27	27-06-22	27-08-10	27-10-05
Closing Date:	27-01-29	27-03-12	27-05-14	27-07-09	27-08-27	27-10-22