

Infection Serology - Bartonella Antibodies

Hunfeld / Gräf

326

Samples : 2 samples of 0.4 ml Sample properties: Serum Shipping Information: Shipping at ambient temperature Certificate Validity: 24 months		
A certificate for (semi-)quantitative results can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.		
Aug. (5) Registration deadline: 12.06.26 Sample shipment: 11.08.26 Closing Date: 28.08.26		

Infection Serology - Bordetella pertussis Antibodies

Hunfeld / Gräf

317

Samples : 2 samples of 0.4 ml Sample properties: Serum Shipping Information: Shipping at ambient temperature Certificate Validity: 24 months			
IgG (qualitative) diagnostic comment	IgG (semiquantitative)		IgA (qualitative) IgM (qualitative)
For certificates to be issued, all participants are expected to report (semi-) quantitative results along with qualitative results on the evaluation sheets, where requested. A certificate for (semi-)quantitative results, however, can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.			
		Oct. (6)	
Registration deadline:	14.08.26		
Sample shipment:	13.10.26		
Closing Date:	30.10.26		

Samples : 2 samples of 0.4 ml Sample properties: Serum Shipping Information: Shipping at ambient temperature Certificate Validity: 12 months			participation according to Rili-BÄK: bi-annual
Antibodies polyvalent (qualitative)	IgG (qualitative)		
IgG (semiquantitative)	IgM (qualitative)		
IgM (semiquantitative)	IgG-Blot		
IgM-Blot			diagnostic comment
For certificates to be issued, all participants are expected to report (semi-) quantitative results along with qualitative results on the evaluation sheets, where requested.			
A certificate for (semi-)quantitative results, however, can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.			
	June (3)	Oct. (6)	
Registration deadline:	20.03.26	14.08.26	
Sample shipment:	19.05.26	13.10.26	
Closing Date:	05.06.26	30.10.26	

Infection Serology - Brucella Antibodies

Samples : 2 samples of 0.4 ml Sample properties: Serum Shipping Information: Shipping at ambient temperature Certificate Validity: 24 months			
AB against Brucella polyvalent (qualitative)			
AB against Brucella polyvalent (semiquantitative)	AB against Brucella IgG (qualitative)		
AB against Brucella IgG (semiquantitative)	AB against Brucella IgM (qualitative)		
AB against Brucella IgM (semiquantitative)			diagnostic comment
A certificate for (semi-)quantitative results can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.			
	Aug. (5)		
Registration deadline:	12.06.26		
Sample shipment:	11.08.26		
Closing Date:	28.08.26		

Infection Serology - Campylobacter Antibodies

Samples : 2 samples of 0.4 ml Sample properties: Serum Shipping Information: Shipping at ambient temperature Certificate Validity: 24 months			
IgG (qualitative) diagnostic comment	IgG (semiquantitative)	IgM (qualitative)	
For certificates to be issued, all participants are expected to report (semi-) quantitative results along with qualitative results on the evaluation sheets, where requested.			
A certificate for (semi-)quantitative results, however, can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.			
	June (3)		
Registration deadline:	20.03.26		
Sample shipment:	19.05.26		
Closing Date:	05.06.26		

Samples : 2 samples of 0.4 ml

Sample properties: Serum

Shipping Information: Shipping at ambient temperature

Certificate Validity: 12 months

IgG (qualitative)
IgM (qualitative)

IgG (semiquantitative)
IgM (semiquantitative)

IgA (qualitative) IgA (semiquantitative)
diagnostic comment

For certificates to be issued, all participants are expected to report (semi-) quantitative results along with qualitative results on the evaluation sheets, where requested.

A certificate for (semi-)quantitative results, however, can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.

June (3)

Oct. (6)

Registration deadline:

20.03.26

14.08.26

Sample shipment:

19.05.26

13.10.26

Closing Date:

05.06.26

30.10.26

Infection Serology - Chlamydia trachomatis Antibodies

Hunfeld / Gräf

312

Samples : 2 samples of 0.4 ml

Sample properties: Serum

Shipping Information: Shipping at ambient temperature

Certificate Validity: 12 months

IgG (qualitative)
IgM (qualitative)

IgG (semiquantitative)
IgM (semiquantitative)

IgA (qualitative) IgA (semiquantitative)
diagnostic comment

For certificates to be issued, all participants are expected to report (semi-) quantitative results along with qualitative results on the evaluation sheets, where requested.

A certificate for (semi-)quantitative results, however, can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.

June (3)

Oct. (6)

Registration deadline:

20.03.26

14.08.26

Sample shipment:

19.05.26

13.10.26

Closing Date:

05.06.26

30.10.26

Infection Serology - Chlamydia trachomatis Direct Detection (ELISA / PCR)



Hunfeld / Gräf

313

Samples : 2 samples of 0.4 ml

Sample properties: Urine

Shipping Information: Shipping at ambient temperature

Certificate Validity: 12 months

participation according to Rili-BÄK:
bi-annual

Direct detection of Chlamydia trachomatis antigen (ELISA, PCR)

diagnostic comment

June (3)

Oct. (6)

Registration deadline:

20.03.26

14.08.26

Sample shipment:

19.05.26

13.10.26

Closing Date:

05.06.26

30.10.26

Samples : 2 slides Sample properties: Slides Shipping Information: Shipping at ambient temperature Certificate Validity: 12 months		participation according to Rili-BÄK: bi-annual
Direct detection of Chlamydia trachomatis antigen (dir. IFA)		
diagnostic comment		
	June (3)	Oct. (6)
Registration deadline:	20.03.26	14.08.26
Sample shipment:	19.05.26	13.10.26
Closing Date:	05.06.26	30.10.26

Infection Serology - Coxiella burnetii Antibodies

Samples : 2 samples of 0.4 ml Sample properties: Serum Shipping Information: Shipping at ambient temperature Certificate Validity: 24 months		
AB against Coxiella burnetii IgG - Phase I (qualitative) AB against Coxiella burnetii IgG - Phase I (semiquantitative) AB against Coxiella burnetii IgG - Phase II (qualitative) AB against Coxiella burnetii IgG - Phase II (semiquantitative) IgA (qualitativ) IgM (qualitative) diagnostic comment		
For certificates to be issued, all participants are expected to report (semi-) quantitative results along with qualitative results on the evaluation sheets, where requested. A certificate for (semi-)quantitative results, however, can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.		
		Oct. (6)
Registration deadline:		14.08.26
Sample shipment:		13.10.26
Closing Date:		30.10.26

Infection Serology - Diphtheria Toxoid Antibodies

Samples : 2 samples of 0.4 ml Sample properties: Serum Shipping Information: Shipping at ambient temperature Certificate Validity: 12 months		
AB against Diphtherie toxoid (qualitative) AB against Diphtherie toxoid (semiquantitative) diagnostic comment		
	June (3)	
Registration deadline:	20.03.26	14.08.26
Sample shipment:	19.05.26	13.10.26
Closing Date:	05.06.26	30.10.26

Samples : 2 samples of 0.4 ml
 Sample properties: Serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 24 months

AB against Francisella tularensis polyvalent (qualitative)
 AB against Francisella tularensis polyvalent (semiquantitative)
 AB against Francisella tularensis IgG (qualitative)
 AB against Francisella tularensis IgG (semiquantitative)
 AB against Francisella tularensis IgA (qualitative)
 AB against Francisella tularensis IgA (semiquantitative)
 AB against Francisella tularensis IgM (qualitative)
 AB against Francisella tularensis IgM (semiquantitative)
 diagnostic comment

A certificate for (semi-)quantitative results can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.

Aug. (5)

Registration deadline:	12.06.26
Sample shipment:	11.08.26
Closing Date:	28.08.26

Infection Serology - Helicobacter pylori Antibodies

Samples : 2 samples of 0.4 ml
 Sample properties: Serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months



IgG (qualitative)	IgG (semiquantitative)	IgA (qualitative)
IgA (semiquantitative)	diagnostic comment	

For POCT systems: Please ensure that the sample matrix used in the EQA scheme is suitable for your test system. In case of uncertainty, we recommend contacting the manufacturer or supplier of your device.

For certificates to be issued, all participants are expected to report (semi-) quantitative results along with qualitative results on the evaluation sheets, where requested.

A certificate for (semi-)quantitative results, however, can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.

June (3)

Oct. (6)

Registration deadline:	20.03.26	14.08.26
Sample shipment:	19.05.26	13.10.26
Closing Date:	05.06.26	30.10.26

Infection Serology - Leptospira Antibodies

Samples : 2 samples of 0.4 ml
 Sample properties: Serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 24 months

AB against Leptospira polyvalent (qualitative)	AB against Leptospira IgG (qualitative)
AB against Leptospira polyvalent (semiquantitative)	AB against Leptospira IgM (qualitative)
AB against Leptospira IgG (semiquantitative)	diagnostic comment
AB against Leptospira IgM (semiquantitative)	

A certificate for (semi-)quantitative results can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.

Aug. (5)

Registration deadline:	12.06.26
Sample shipment:	11.08.26
Closing Date:	28.08.26

Samples : 2 samples of 0.4 ml
 Sample properties: Serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 24 months



IgG (qualitative) IgG (semiquantitative)
 IgA (qualitative) IgM (qualitative)
 AB against Mycoplasma pneumoniae polyvalent (qualitative)
 AB against Mycoplasma pneumoniae polyvalent (semiquantitative)
 diagnostic comment

For POCT systems: Please ensure that the sample matrix used in the EQA scheme is suitable for your test system. In case of uncertainty, we recommend contacting the manufacturer or supplier of your device.

For certificates to be issued, all participants are expected to report (semi-) quantitative results along with qualitative results on the evaluation sheets, where requested.

A certificate for (semi-)quantitative results, however, can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.

Oct. (6)

Registration deadline:	14.08.26
Sample shipment:	13.10.26
Closing Date:	30.10.26

Infection Serology - Procalcitonin

Samples : 2 samples of 0.4 ml
 Sample properties: Serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months



Procalcitonin (qualitative) Procalcitonin (semi-quantitative) Procalcitonin (quantitative)
 Diagnostic comments

For POCT systems: Please ensure that the sample matrix used in the EQA scheme is suitable for your test system. In case of uncertainty, we recommend contacting the manufacturer or supplier of your device.

June (3)

Oct. (6)

Registration deadline:	20.03.26	14.08.26
Sample shipment:	19.05.26	13.10.26
Closing Date:	05.06.26	30.10.26

Infection Serology - Rheumatoid Factor

Samples : 2 samples of 0.4 ml
 Sample properties: Serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 6 months

participation according to Rili-BÄK:
 quarterly

Rheumatoid factor (RF) (qualitative)

Rheumatoid factor (RF) (quantitative)

Jan. (1)

June (3)

Aug. (5)

Oct. (6)

Registration deadline:	14.11.25	20.03.26	12.06.26	14.08.26
Sample shipment:	13.01.26	19.05.26	11.08.26	13.10.26
Closing Date:	30.01.26	05.06.26	28.08.26	30.10.26

Samples : 2 samples of 0.4 ml
 Sample properties: Serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 24 months

AB against Rickettsia polyvalent (qualitative)
 AB against Rickettsia polyvalent (semiquantitative)
 AB against Rickettsia IgG (qualitative)
 AB against Rickettsia IgG (semiquantitative)
 AB against Rickettsia IgM (qualitative)
 AB against Rickettsia IgM (semiquantitative)
 diagnostic comment

A certificate for (semi-)quantitative results can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.

Aug. (5)

Registration deadline:	12.06.26
Sample shipment:	11.08.26
Closing Date:	28.08.26

Infection Serology - Salmonella Antibodies

Samples : 2 samples of 0.4 ml
 Sample properties: Serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

AB against Salmonella typhi, O-Antigen (qualitative)
 AB against Salmonella typhi, O-Antigen (semiquantitative)
 AB against Salmonella typhi, OH-Antigen (qualitative)
 AB against Salmonella typhi, OH-Antigen (semiquantitative)
 AB against Salmonella enteritidis, OH-Antigen (qualitative)
 AB against Salmonella enteritidis, OH-Antigen (semiquantitative)
 AB against Salmonella typhimurium, OH-Antigen (qualitative)
 AB against Salmonella paratyphi B, OH-Antigen (qualitative)
 AB against Salmonella paratyphi B, OH-Antigen (semiquantitative)
 AB against Salmonella Gruppe A, O-Antigen (qualitative)
 AB against Salmonella Gruppe A, O-Antigen (semiquantitative)
 AB against Salmonella Gruppe B, O-Antigen (qualitative)
 AB against Salmonella Gruppe B, O-Antigen (semiquantitative)
 AB against Salmonella Gruppe C, O-Antigen (qualitative)
 AB against Salmonella Gruppe C, O-Antigen (semiquantitative)
 AB against Salmonella polyvalent (qualitative)
 AB against Salmonella IgA (qualitative)
 diagnostic comment

June (3)

Oct. (6)

Registration deadline:	20.03.26	14.08.26
Sample shipment:	19.05.26	13.10.26
Closing Date:	05.06.26	30.10.26

Samples : 2 samples of 0.4 ml
 Sample properties: Serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

participation according to Rili-BÄK:
 bi-annual



anti-streptolysin O (ASO) (qualitative)
 anti-streptolysin O (ASO) (semi-quantitative)
 anti-streptodornase (aDNase) (qualitative)
 anti-streptodornase (aDNase) (semi-quantitative)

For POCT systems: Please ensure that the sample matrix used in the EQA scheme is suitable for your test system. In case of uncertainty, we recommend contacting the manufacturer or supplier of your device.

	June (3)	Oct. (6)
Registration deadline:	20.03.26	14.08.26
Sample shipment:	19.05.26	13.10.26
Closing Date:	05.06.26	30.10.26

Infection Serology - Tetanus Toxoid Antibodies

Samples : 2 samples of 0.4 ml
 Sample properties: Serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months

AB against Tetanus toxoid (qualitative)
 AB against Tetanus toxoid (semiquantitative)
 diagnostic comment

	June (3)	Oct. (6)
Registration deadline:	20.03.26	14.08.26
Sample shipment:	19.05.26	13.10.26
Closing Date:	05.06.26	30.10.26

Infection Serology - Treponema pallidum Antibodies

Samples : 2 samples of 0.4 ml
 Sample properties: Serum
 Shipping Information: Shipping at ambient temperature
 Certificate Validity: 12 months / 12 months

participation according to Rili-BÄK:
 bi-annual



TPHA (qualitative) TPHA (semiquantitative)
 TPPA (qualitative) TPPA (semiquantitative)
 Antibodies against Treponema pallidum
 IgG (semiquantitative) IgG (qualitative)
 IgG - Immunoblot IgM (qualitative)
 FTA-Abs IgG (qualitative) IgM - Immunoblot
 FTA-Abs IgM (qualitative) FTA-Abs IgG (semiquantitative)
 AB against Cardiolipin (qualitative) FTA-Abs IgM (semiquantitative)
 diagnostic comment AB against Cardiolipin (semiquantitative)

For POCT systems: Please ensure that the sample matrix used in the EQA scheme is suitable for your test system. In case of uncertainty, we recommend contacting the manufacturer or supplier of your device.

For certificates to be issued, all participants are expected to report (semi-) quantitative results along with qualitative results on the evaluation sheets, where requested.

A certificate for (semi-)quantitative results, however, can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.

	June (3)	Oct. (6)
Registration deadline:	20.03.26	14.08.26
Sample shipment:	19.05.26	13.10.26
Closing Date:	05.06.26	30.10.26

Samples : 2 samples of 0.4 ml

Sample properties: Serum

Shipping Information: Shipping at ambient temperature

Certificate Validity: 24 months

AB against *Yersinia enterocolitica* O3 (qualitative)

AB against *Yersinia enterocolitica* O3 (semiquantitative)

AB against *Yersinia enterocolitica* O9 (qualitative)

AB against *Yersinia enterocolitica* O9 (semiquantitative)

AB against *Yersinia pseudotuberculosis* (qualitative)

AB against *Yersinia pseudotuberculosis* (semiquantitative)

IgG (qualitative)

IgG (semiquantitative)

IgA (qualitative)

IgM (qualitative)

diagnostic comment

For certificates to be issued, all participants are expected to report (semi-) quantitative results along with qualitative results on the evaluation sheets, where requested.

A certificate for (semi-)quantitative results, however, can only be issued if the reported results are sufficiently comparable and if an international standard has been established for diagnostics.

June (3)

Registration deadline:

20.03.26

Sample shipment:

19.05.26

Closing Date:

05.06.26